

NX 795



Description

- ø NX 795
(2,2,4-Trimethyl-1,3-Pentanediol-Monoisobutyrate)
- ø Clear colourless liquid
- ø Classified as non-VOC according to European classification (1999/13/EC and 2004/42/EC)

Applications

- ø Coalescing agent in latex paints formulations
- ø Intermediates for plasticizers

Delivery forms

- ø Bulk
- ø Flexibag
- ø Containers (IBC) 900 kg
- ø Drums 195 kg

Sales specification

Purity, % ¹	Min. 99
Acid number, mg KOH/g ²	Max. 0.50 *
Colour, Hazen ³	Max. 10
Water content, % ⁴	Max. 0.10

Typical properties

Boiling point, °C	255
Density (20 °C), kg/m ³	947
Freezing point, °C	-50
Vapour pressure (20 °C), kPa	< 0.01

* corresponds to max 0.08 % butyric acid or max 0.05 % acetic acid.

Analytical Method

¹ PO 130-2, ² PO 110-10, ³ PO 105-4, ⁴ PO109-10,

Analytical methods are available on request

CAS no.: 25265-77-4
EC (EINECS) no.: 246-771-9
HS no.: 2915 60

Valid from: April 1, 2014

Approved: 01 Apr 2014

Issue: 6

Approved by: PERSTORP\septpbth

www.perstorp.com

 **Perstorp**
WINNING FORMULAS

Les renseignements ci-contre se fondent sur nos connaissances relatives au produit concerné, à la date de la présente fiche. Ils sont donnés de bonne foi mais ne sauraient dispenser l'utilisateur de vérifier que le produit est adapté à l'usage qu'il compte en faire.

Celui-ci reste seul responsable de l'utilisation qu'il fait du produit et du respect des règles qui s'imposent.

Ces renseignements sont donnés à titre indicatif et sans demande particulière de votre part, nous n'assurons pas la mise à jour de leur évolution.

Supplier Honor Statement
Raw material used in a product's formula
In order to obtain the certification of
The European Ecolabel for Paints and Varnishes
(Commission Decision 2014/312/UE of 28 May 2014)
(Regulation (EC) n°66/2010)

Product name: NX795
Company name: Perstorp Oxo Belgium AB
Address: Durmakker 33, Havennummer 8768A, BE-9940 Evergem, Belgium
Name, position and coordinates of the person in charge: Elisabet Sjölund, Product Manager
 Neptunigatan 1, Box 597, 201 25 Malmö, Sweden

Ingredients/substances/preparations/mixtures as well as any additional functional ingredients and known impurities that are present at concentrations in the product of greater than 0,010%				
Criteria	Title	Present		If YES, precise substance-CAS number-content
		YES	NO	
4.	Volatile Organic Compounds (VOC)'s content (%) <i>Article 2, définition 13 of the decision 2014/312/UE Directive 2004/42/EC</i>		X	
4.	Semi Volatile Organic Compounds (SVOC)'s content (%) <i>Article 2, définition 14 of the decision 2014/312/UE</i>	X		25265-77-4
5.b)	Substances of Very High Concern according to the procedure described in Article 59(1) of the REACH Regulation		X	
5. 1.iii)	Isothiazolinone compound content <ul style="list-style-type: none"> - 2-méthyl-2H-isothiazol-3-one - 1,2-benzisothiazol-2(2H)-one - 2-octyl-2H-isothiazol-3-one - 5-chloro-2-méthyl-4-isothiazolin-3-one / 2-méthyl-4-isothiazolin-3-one 		X	
5. 1.	3-iodo-2-propynyl butylcarbamate (IBPC) content		X	
5. 1	Zinc pyrithione content		X	
5. 1.	N-(3-aminopropyl)-N-dodécylpropane-1, 3-diamine content		X	
5.1.d)	Zinc oxide content		X	
5.4.b)	Alkylphenoethoxylates (APEO) content and their derivatives		X	
5.4.c)	Long chain perfluorinated surfactants : <ul style="list-style-type: none"> - Perfluorocarboxylic acids content with carbon chain lengths \geqC8 including perfluorooctanoic acid (PFOA) - Perfluoroalkyle sulfonates content with carbon chain lengths \geqC6 including perfluorohexane sulfonic acid (PFHxS) and perfluorooctane sulfonate (PFOS) - Related compounds that may degrade to the substances identified above 		X	
5.5.a)	Silicon resin emulsion H412(R52/53), H413 (R53) content		X	
5.5.b)	Metals and their compounds content Cadmium, lead, chromium VI, mercury, arsenic, barium, selenium, antimony and cobalt		Not intentionally added	

Supplier Honor Statement
Raw material used in a product's formula
In order to obtain the certification of
The European Ecolabel for Paints and Varnishes
 (Commission Decision 2014/312/UE of 28 May 2014)
 (Regulation (EC) n°66/2010)

Criteria	Title	Present		If YES, precise substance-CAS number-content
		YES	NO	
5.5.c)	Crystalline silica and leucophyllite minerals containing crystalline silica H373 (R48/20) content		X	
5.6.b)	Phthalates content <ul style="list-style-type: none"> - DEHP (Bis-(2-éthylhexyl)-phthalate) - BBP (Butylbenzylphthalate) - DBP (Dibutylphthalate) - DMEP (Bis2-méthoxyéthyl) phthalate - DIBP (Diisobutylphthalate) - DIHP (dialkylphthalates ramifiés en C6-8) - DHNUP (dialkylphthalates ramifiés en C7-11) - DHP (Di-n-hexylphthalate) 		X	
5.7.a)	Free formaldehyde content		X	
5.7.c)	Unreacted monomers content present from binders including acrylic acid		X	
5.7.c)	Volatil Aromatic Hydrocarbons content		X	
5.7.c)	Halogenated solvents content		X	

<u>Presence of substances or mixtures labeled hazard statements and risk phrases below (see SDS)</u>	YES	NO	DETAILS
H300 (R28), H310 (R27), H301 (R25), H311 (R24), H330 (R23/26), H304 (R65), ,H331 (R23), EUH070 (R39/41)		X	
H370 (R39/23, R39/24, R39/25, R39/26), R39/27, R39/28), H372 (R48/25, R48/24, R48/23), H371 (R68/20, R68/21, R68/22), H373 (R48/20, R48/21, R48/22)		X	
H317 (R43), H334 (R42)		X	
H340 (R46), H350 (R45), H350i (R49), H360F (R60), H360D (R61), H360FD (R60/61), H360fd (R60/63) H360Df (R61/62), H341 (R68), H351 (R40), H361f (R62), H361d (R63), H361fd (R62/63), H362 (R64)		X	
H400 (R50), H410 (R50/53), H411 (R51/53), H412 (R52/53), H413 (R53)		X	
EUH059 (R59)		X	

Date : 2017-03-16

Signature :



TRACABILITE PRODUIT.

Nous assurons une traçabilité de tous nos lots de produits conformément à la réglementation européenne 178/2002.

La signification de notre numéro de lot est la suivante :
FRXXYYYYYY avec FRXX = Numéro d'établissement Brenntag France
et YYYYYY = Numéro d'ordre chronologique unique

Une procédure de rappel PRCQUA08, qui prévoit l'analyse des risques et le rapatriement des produits le cas échéant, est mise en place conformément à la réglementation européenne 178/2002.

REGLEMENTATION SECURITE.

SAFETY REGULATION

Lire attentivement la FDS avant utilisation. /

Read precautionary the material safety data sheet before use.

www.brenntag.fr

GESTION DE CRISE.



Numéro d'appel d'urgence : **0800 07 42 28**

Disponible 24h/24 et 7j/7

Vous trouverez ci-après les coordonnées de nos différents établissements ainsi que leurs référentiels normatifs :

BRENNTAG ILE DE FRANCE
Tel : 01.64.51.20
ile-de-france-sales@brenntag.fr

ISO 9001, BPF, BIO, ESAD A

BRENNTAG MARCHES
Tel : 01.30.86.67.00
sartrouville@brenntag.fr

ISO 9001, BIO, ESAD A,
ISO 22000

BRENNTAG NORD
Tel : 03.20.26.34.73
nord@brenntag.fr

BIO

BRENNTAG ARDENNES
Tel : 03.24.52.68.90
ardennes@brenntag.fr

ISO 9001, BIO, ESAD A

BRENNTAG VAL DE LOIRE
Tel : 02.38.69.76.76
val-de-loire-sales@brenntag.fr

ISO 9001, BIO, ESAD A

BRENNTAG LORRAINE
Tel : 03.83.43.08.97
lorraine@brenntag.fr
ISO 9001, BIO, ESAD A
BRENNTAG ALSACE
Tel : 03.88.33.44.04

BRENNTAG NORMANDIE
Tel : 02.35.33.70.08
normandie@brenntag.fr

ISO 9001, BIO, ESAD A, ISO
14001, ISO 18001

BRENNTAG BOURGOGNE
Tel : 03.85.77.45.00
bourgogne@brenntag.fr

ISO 9001, BIO, ESAD A

BRENNTAG PICARDIE
Tel : 02.22.54.72.00
picardie@brenntag.fr

ISO 9001, ISO 9120, ESAD A,
ISO 14001, ISO 18001

BRENNTAG RHONE-ALPES
Tel : 04.72.22.15.00
rhone-alpes@brenntag.fr

ISO 9001, ISO 22000, ESAD F,
ESAD G, BPF, BIO, ESAD A

BRENNTAG MAINE BRETAGNE
Tel : 02.43.70.54.39
maine-bretagne@brenntag.fr

ISO 9001, BIO, FAMIQS, ISO
9120, ESAD A, ESAD F

BRENNTAG DAUPHINE
Tel : 04.76.40.61.00
dauphine@brenntag.fr

ISO 9001, ESAD A

BRENNTAG LOIRE BRETAGNE
Tel : 02.40.95.27.17
commercial-loirebretagne@brenntag.fr

ISO 9001, BIO, ISO 9120, ESAD

BRENNTAG ANDANCE
Tel : 04.75.69.03.10

ISO 9001, ESAD A

BRENNTAG AQUITAINE
Tel : 05.57.80.90.00
aquitaine@brenntag.fr

ISO 9001, BIO, ESAD A

BRENNTAG MIDI PYRENEES
Tel : 05.63.41.88.56
midi-pyrenees@brenntag.fr

ISO 9001, BIO, FAMIQS, ISO
9120, ESAD A

BRENNTAG MEDITERRANEE
Tel : 04.42.46.22.00
mediterranee@brenntag.fr

ISO 9001, BIO, ESAD A

BRENNTAG COTE D'AZUR
Tel : 04.93.91.16.56
cote-azur@brenntag.fr

ISO 9001, BIO, ESAD A



Brenntag S.A
90 av. du Progrès
69680 CHASSIEU

Tél. 04 72 22 16 00
Fax. 04 78 90 84 43
www.brenntag.fr

Société anonyme à directoire et
conseil de surveillance au capital
de 29 000 000 Euros

RCS Lyon B 709 801 781
N° TVA : FR51.709801781